

50 years
of Smiles
Est. 1964



WWW.SWIFTGROUP.CO.UK



Smile



FIND OUT MORE SWIFTGROUP.CO.UK



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2014.

PART OF THE SWIFT GROUP
Cottingham · East Yorkshire · United Kingdom



SWIFT CARAVANS
2015 MODEL RANGE



Smile





50 years of Smiles Est. 1964

Smile

Determined to deliver exceptional value for money, Swift Group continue to drive significant increases in specification, ensuring prices remain competitive and boosting overall energy efficiency.

Whatever model you are considering, there has never been a more compelling time to choose Swift. With three ranges to suit different budget levels we have a model to suit you.



Smile



05 CHALLENGER SPORT

Outstanding value at weights that can be towed by most family cars.



15 CHALLENGER SE

Luxury meets affordability in this popular mid range.



25 CONQUEROR

Exterior and interior refinement for five star touring.

35 FEATURES





TECHNICAL INNOVATION

A SMART MOVE WITH MODERN CONSTRUCTION

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing program in the industry and we are constantly looking at new and better ways to construct our products. SMART is our intelligent construction system that is used across our entire touring caravan range.

SMART is based on proven technology and provides a Strong timber-less body frame with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a caravan that has undergone the most comprehensive Testing.



Carefully developed, the new system has only been introduced once we were satisfied that it was truly fit for purpose.

Computer numerically controlled (CNC) cutting is used in the manufacturing process to provide accuracy and consistency time after time, to produce a high quality engineered product designed to give you a lifetime of SMILES.

For more details see www.swifttv.co.uk or www.swiftgroup.co.uk



AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodysell for better fuel consumption and safer towing.



RESILIENT

All fixings are made into the 'PURE' material to a pre-defined depth. 'PURE' is totally impervious to water and has no veins. This means there is no passage for water from the outer skin to the inner wallboard, making the caravan highly Resilient to moisture.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift Ethos to deliver the best products to you.



MODERN

The SMART construction system uses Modern materials and also has been developed to ensure the exterior profiles maintain the Modern desirable looks our caravans are renowned for.



STRONG

The Strong timberless body frame uses 'PURE', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.





CHALLENGER SPORT

With modern styling and cutting edge interiors the Challenger Sport range provides outstanding value at weights that can be towed by most family cars.

Whether you want to kick back and relax or explore the great outdoors, the Challenger Sport comes with a choice of eight models including one twin axle model, so there is sure to be a layout to suit you.

Smile



Comfortable and relaxed, professional designers have carefully coordinated the interior, which is flooded with light from the panoramic sun roof.

The new 'Zimba' soft furnishings continue this light and bright theme with a cream base fabric, earthy brown and duck blue accents. New 'Aralie Sen' woodgrain with an ashen brown hue and chrome sockets, switches and push button locker catches gives a more contemporary feel.



Image shows optional 'Impala' scheme






A choice of flexible seating and sleeping arrangements are made more comfortable with the 'Duvalay Duvalite' mattress on fixed beds.

Kitchens and washrooms are well equipped and new features include a Dometic fridge with removable freezer compartment and a bi-fold shower door, which slides on tracks for improved use. It can also be locked in position for transit. The Truma Combi boiler provides ample hot water and a solar panel fitted as standard gives greater independence.

JOIN US ONLINE
Social Network for Caravan Enthusiasts



CHALLENGER SPORT SPECIFICATION



	442	514	524	554
Berths	2	4	4	4
Number of Axles	1	1	1	1
Internal Length (at bed box height)	4.40m/14'5"	5.23m / 17'2"	5.29m / 17'4"	5.60m / 18'4"
Overall Width*	2.25m/7'5"	2.25m/7'5"	2.25m/7'5"	2.25m/7'5"
Overall Height (inc. TV Aerial)*	2.64m/8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m/6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	6.06m/19'11"	6.88m / 22'7"	6.94m / 22'9"	7.25m / 23'9"
Awning A/A Dimension	8.79m/28'10"	9.62m / 31'7"	9.68m / 31'9"	9.99m / 32'9"
Mass in Running Order (inc. tolerance)	1120kg/22.0cwt	1231kg / 24.2cwt	1260kg / 24.8cwt	1267kg / 24.9cwt
Maximum Technical Permissible Laden Mass	1241kg/24.4cwt	1381kg / 27.2cwt	1410kg / 27.8cwt	1420kg / 28.0cwt
Total User Payload	121kg/2.4cwt	150kg / 3.0cwt	150kg / 3.0cwt	153kg / 3.0cwt
Personal Effects Payload	121kg/2.4cwt	150kg / 3.0cwt	150kg / 3.0cwt	153kg / 3.0cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three	Three
BED SIZES				
Front Double	202cm x 180cm / 6'8" x 5'11"	202cm x 153cm / 6'8" x 5'0"	202cm x 180cm / 6'8" x 5'11"	202cm x 159cm / 6'8" x 5'3"
Or Front Nearside Single	190cm x 72cm / 6'3" x 2'4"	153cm x 72cm / 5'0" x 2'4"	180cm x 72cm / 5'11" x 2'4"	160cm x 72cm / 5'3" x 2'4"
And Front Offside Single	180cm x 72cm / 5'11" x 2'4"	160cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"
Rear Double		198cm x 133cm / 6'6" x 4'4"		191cm x 133cm / 6'3" x 4'4"
Side/Rear Single Offside			180cm x 62cm / 5'11" x 2'0"	
Side/Rear Single Nearside				
Side Bunk Offside			176cm x 59cm / 5'9" x 1'11"	
Side Bunk Nearside				
Side Fixed Bunks				
Side Fixed Upper Bunk				

	564	584	586	640
Berths	4	4	6	6
Number of Axles	1	1	1	2
Internal Length (at bed box height)	5.60m / 18'4"	5.83m / 19'2"	5.83m / 19'2"	6.27m / 20'7"
Overall Width*	2.25m/7'5"	2.25m/7'5"	2.25m/7'5"	2.25m/7'5"
Overall Height (inc. TV Aerial)*	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	7.25m / 23'9"	7.48m / 24'6"	7.48m / 24'6"	7.93m / 26'0"
Awning A/A Dimension	9.99m / 32'9"	10.22m / 33'6"	10.22m / 33'6"	10.66m / 35'0"
Mass in Running Order (inc. tolerance)	1292kg / 25.4cwt	1297kg / 25.5cwt	1358kg / 26.7cwt	1529kg / 30.1cwt
Maximum Technical Permissible Laden Mass	1445kg / 28.4cwt	1453kg / 28.6cwt	1550kg / 30.5cwt	1750kg / 34.4cwt
Total User Payload	153kg / 3.0cwt	156kg / 3.1cwt	192kg / 3.8cwt	221kg / 4.3cwt
Personal Effects Payload	153kg / 3.0cwt	156kg / 3.1cwt	176kg / 3.5cwt	180kg / 3.5cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three
BED SIZES				
Front Double	202cm x 159cm / 6'8" x 5'3"	202cm x 159cm / 6'8" x 5'3"	202cm x 180cm / 6'8" x 5'11"	202cm x 180cm / 6'8" x 5'11"
Or Front Nearside Single	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"	190cm x 72cm / 6'3" x 2'4"
And Front Offside Single	160cm x 72cm / 5'3" x 2'4"	160cm x 72cm / 5'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	180cm x 72cm / 5'11" x 2'4"
Rear Double		191cm x 133cm / 6'3" x 4'4"		202cm x 133cm / 6'8" x 4'4"
Side/Rear Single Offside	192cm x 71cm / 6'4" x 2'4"			186cm x 64cm / 6'1" x 2'1"
Side/Rear Single Nearside	183cm x 75cm / 6'0" x 2'6"		180cm x 62cm / 5'11" x 2'0"	176cm x 64cm / 5'9" x 2'1"
Side Bunk Offside				173cm x 59cm / 5'8" x 1'11"
Side Bunk Nearside			176cm x 59cm / 5'9" x 1'11"	163cm x 59cm / 5'4" x 1'11"
Side Fixed Bunks			183cm x 57cm / 6'0" x 1'10"	
Side Fixed Upper Bunk			183cm x 57cm / 6'0" x 1'10"	

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions



Smile

CHALLENGER

SE Luxury meets affordability in this popular mid-range that offers a perfect combination of style and specification at weights that fall within a wide range of towing cars.

With four twin axle layouts in the nine model line up it also offers the ultimate in space. There is a new layout with spacious rear, central island bed and wardrobes either side in the 4 berth, twin axle 640 model.



Challenger interiors enjoy all the benefits that quality, advanced design and attention to detail can bring.

Gloss upper locker doors in new 'Aralie Sen' woodgrain and new 'Opus' soft furnishings give a more opulent feel to complement an exceptionally high specification. This includes Aide radiator central heating with a touch screen control, solar panel and exclusive 'Duvalay Duvalite' mattress, for an ultra comfortable nights sleep.





Pleated blinds and low energy lighting throughout including low level night lights, kitchen splash back and under worktop lighting let you set the mood.

A wide choice of seating layouts combine with well equipped kitchens and an external BBQ point allows for alfresco cooking. Washrooms have separate shower cubicles with a new sliding bi-fold door, powerful Ecocamel shower head, a handy hanging rail, back lit mirror and the luxury of an Alde heated towel radiator.




JOIN US ONLINE
Social Network for Caravan Enthusiasts

 SWIFT-TALK.CO.UK

 **FIND US ON SOCIAL NETWORKS**



CHALLENGER SE SPECIFICATION



	480	530	565	570	580
Berths	2	4	4	4	4
Number of Axles	1	1	1	1	1
Internal Length (at bed box height)	4.40m / 14'5"	5.29m / 17'4"	5.60m / 18'4"	5.60m / 18'4"	5.83m / 19'2"
Overall Width*	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"
Overall Height (inc. TV Aerial)*	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	6.06m / 19'11"	6.94m / 22'9"	7.25m / 23'9"	7.25m / 23'9"	7.48m / 24'6"
Awning A/A Dimension	8.77m / 28'9"	9.65m / 31'8"	9.96m / 32'8"	9.96m / 32'8"	10.19m / 33'5"
Mass in Running Order (inc. tolerance)	1162kg / 22.9cwt	1322kg / 26.0cwt	1351kg / 26.6cwt	1324kg / 26.1cwt	1362kg / 26.8cwt
Maximum Technical Permissible Laden Mass	1283kg / 25.3cwt	1472kg / 29.0cwt	1504kg / 29.6cwt	1477kg / 29.1cwt	1518kg / 29.9cwt
Total User Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt	156kg / 3.1cwt
Personal Effects Payload	121kg / 2.4cwt	150kg / 3.0cwt	153kg / 3.0cwt	153kg / 3.0cwt	156kg / 3.1cwt
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	Three	Three	Three	Three	Three
BED SIZES					
Front Double	202cm x 176cm / 6'8" x 5'9"	202cm x 176cm / 6'8" x 5'9"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	176cm x 72cm / 5'9" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	176cm x 72cm / 5'9" x 2'4"	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double				192cm x 130cm / 6'4" x 4'3"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside		180cm x 62cm / 5'11" x 2'0"	192cm x 68cm / 6'4" x 2'3"		
Side Single Nearside			183cm x 73cm / 6'0" x 2'5"		
Side Bunk Offside		176cm x 59cm / 5'9" x 1'11"			
Side Bunk Nearside					
Side Fixed Lower Bunk					
Side Fixed Upper Bunk					

	625	630	640	645
Berths	6	6	4	4
Number of Axles	2	2	2	2
Internal Length (at bed box height)	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"	6.27m / 20'7"
Overall Width*	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"	2.25m / 7'5"
Overall Height (inc. TV Aerial)*	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"	7.93m / 26'0"
Awning A/A Dimension	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"	10.64m / 34'11"
Mass in Running Order (inc. tolerance)	1554kg / 30.6cwt	1525kg / 30.0cwt	1490kg / 29.3cwt**	1526kg / 30.0cwt
Maximum Technical Permissible Laden Mass	1800kg / 35.4cwt	1800kg / 35.4cwt	1800kg / 35.4cwt**	1800kg / 35.4cwt
Total User Payload	246kg / 4.8cwt	275kg / 5.4cwt	310kg / 6.1cwt	274kg / 5.4cwt
Personal Effects Payload	180kg / 3.5cwt	180kg / 3.5cwt	160kg / 3.1cwt	160kg / 3.1cwt
Tyre Size	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three
BED SIZES				
Front Double	202cm x 176cm / 6'8" x 5'9"	203cm x 131cm / 6'8" x 4'4"	202cm x 156cm / 6'8" x 5'1"	202cm x 156cm / 6'8" x 5'1"
Or Front Nearside Single	176cm x 72cm / 5'9" x 2'4"		156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	186cm x 72cm / 6'1" x 2'4"		186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double	192cm x 130cm / 6'4" x 4'3"	192cm x 130cm / 6'4" x 4'3"	185cm x 133cm / 6'1" x 4'4"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside	180cm x 69cm / 5'11" x 2'3"	180cm x 62cm / 5'11" x 2'0"		
Side Single Nearside				
Side Bunk Offside	176cm x 59cm / 5'9" x 1'11"	176cm x 59cm / 5'9" x 1'11"		
Side Bunk Nearside				
Side Fixed Lower Bunk				
Side Fixed Upper Bunk				

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

** Estimated

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions



Smile

CONQUEROR

Synonymous with impressive style, this top range enjoys an enviable combination of comfort, practicality and design innovation.

Its distinctive aerodynamic exterior styling with sweeping front, imposing sunroof and rain water diverter has classic white sides. Available in both single and twin axle layouts the Conqueror is one of the best all year round tourers that money can buy.



Touring is about freedom and relaxation and Swift designers have worked hard to ensure the Conqueror can provide just that.

New furniture styling has curved upper locker doors in gloss 'Aralie Sen' with cream infills and chrome handles and there is a decorative inlay in the washroom door along with designer chrome kitchen and vanity mixer taps. All subtle details that along with the new embossed 'Impala' soft furnishing scheme enhance the luxury feel.

For the ultimate nights sleep, an exclusive 'Duvalay Duvalite' mattress, with lightweight memory fibre technology comes fitted in all fixed bed models.






With class leading width and headroom the Conqueror houses everything you need for 5 star touring with an extensive list of luxury, safety and practical features.




Detailed changes along with an already impressive specification including Alde radiator central heating system, solar panel, luxury double width curtains, low energy LED lighting and external shower point, provide the highest possible level of comfort linked to cutting edge design.

JOIN US ONLINE
 Social Network for Caravan Enthusiasts
 SWIFT-TALK.CO.UK
 FIND US ON SOCIAL NETWORKS



CONQUEROR SPECIFICATION



	480 	570 	645 
Berths	2	4	4
Number of Axles	1	1	2
Internal Length (at bed box height)	4.74m / 15'7"	5.60m / 18'4"	6.27m / 20'7"
Overall Width*	2.31m / 7'7"	2.31m / 7'7"	2.31m / 7'7"
Overall Height (inc. TV Aerial**)	2.62m / 8'7"	2.67m / 8'9"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length*	6.46m / 21'2"	7.32m / 24'0"	7.99m / 26'3"
Awning A/A Dimension	9.12m / 29'11"	9.98m / 32'9"	10.65m / 34'11"
Mass in Running Order (inc. tolerance)	1317kg / 25.9cwt	1480kg / 29.1cwt	1622kg / 31.9cwt
Maximum Technical Permissible Laden Mass	1442kg / 28.4cwt	1634kg / 32.2cwt	1900kg / 37.4cwt
Total User Payload	125kg / 2.5cwt	154kg / 3.0cwt	278kg / 5.5cwt
Personal Effects Payload	125kg / 2.5cwt	154kg / 3.0cwt	160kg / 3.1cwt
Tyre Size	185 R14C 102Q	195/70 R15C 104R	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three
BED SIZES			
Front Double	207cm x 186cm / 6'9" x 6'1"	207cm x 156cm / 6'9" x 5'1"	207cm x 156cm / 6'9" x 5'1"
Or Front Nearside Single	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
And Front Offside Single	186cm x 72cm / 6'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"	156cm x 72cm / 5'1" x 2'4"
Rear Double		192cm x 134cm / 6'4" x 4'5"	185cm x 133cm / 6'1" x 4'4"
Side Single Offside			
Side Single Nearside			
Side Bunk Offside			
Side Bunk Nearside			
Side Fixed Lower Bunk			
Side Fixed Upper Bunk			

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank, the payload will be reduced accordingly.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

Conqueror Caravans are fitted with LED road lighting and dependent on the tow vehicle configuration an aftermarket accessory may require fitting. Please consult your dealer for more information.

BUILD QUALITY

All Swift Group caravans come with a market leading 10 year bodysell integrity warranty which is backed by Swift Group to give you extra peace of mind.



They are also NCC and European Whole Vehicle Type approved, which means they have been built to comply with strict weight, dimension and safety regulations.



Finally, all Swift Group caravans meet the Grade 3 standard for heating and thermal insulation, which means the interior warms up from minus 15°C to 20°C in under 4 hours and the water system still works. Crucially Swift Group proves this by using cold chamber testing, not just by mathematical calculation as many manufacturers do.



SWIFT TV



See product videos · developments and interviews at swifttv.co.uk

FIND A MODEL
LOCATE A SPECIFIC MODEL
SWIFTGROUP.CO.UK

FEATURES

All Swift Caravans come with an impressive array of features.



01



02



03



04



05



06




07




08



09



10



11



12



13



14



15



16



17



18



19

01. Shock absorbers for a smoother towing experience
02. AL-KO ATC trailer control system for an enhanced towing experience (Except Sport models)
03. Step on hitch cover for easy cleaning of the front windows
04. Roof mounted solar panel for enhanced independence
05. External 230V socket (Except Sport models)
06. BBQ point for alfresco cooking (Except Sport models)
07. Ventilated microwave oven with digital control and built in at an easily accessible level
08. Dual fuel hob with 800W electric hotplate and 3 gas burners combined with a separate grill and glass fronted oven
09. Stylish and practical granite sink with removable drainer
10. Eco Camel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower
11. Bi-fold shower dop on track for ease of use
12. Omnivert three speed, two way roof fan (Except Sport models)
13. Seat bases with spaceframe construction, full front access and space for larger items
14. Dometic 110 litre fridge with removable freezer compartment (190 litre in Conqueror with separate 35litre freezer compartment)
15. Pull our chest of drawers with convenient front shelf pod
16. Bed make up system with slats retained on track
17. Positive locker catches for secure storage on the move
18. Low energy lighting system featuring:
 - LED Over locker lights and LED task lights
 - LED kitchen splash back panel and worktop drip lighting (Except Sport models)
 - LED low level night lighting (Except Sport models)
 - LED back lights in washroom mirrors (Except Sport models)
19. Alde towel radiator in washroom (Except Sport models)

FEATURES

You can be reassured when you buy a Swift Caravan that they come with the following market leading features.

CHALLENGER SPORT

Exterior

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- Overall body width 2.25m/7'5"
- AL-KO galvanised steel chassis with Euro-axle
- SMART construction with strong, moisture proof 'PURE' Polyurethane timberless framed body shell
- New** Stylish graphics scheme
- 25mm 'sandwich' sidewall construction with polystyrene insulation core
- Aerodynamic front in closed-mould GRP with wide front door
- Full height moulded rear panel
- Fully bonded 32mm 'sandwich' roof for extra strength and flatness with with polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core
- AL-KO Euro overrun device with two-way assisted handbrake
- New** 'Scorpion' alloy wheels
- Steel spare wheel
- Higher tyre rating - a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing experience
- Higher payload on twin axle models
- Semi-recessed body colour awning rail both sides
- Step-on hitch cover for easy cleaning of front windows
- High security locks with convenient one key operation for all locks
- 13-pin 'Jaeger' 12V car connector
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- Fully double-glazed opening windows (no single-glazed cold areas)
- LED awning light
- New** Exterior one-piece door with interior moulded liner, window and blind
- Exterior access battery box with mains electric inlet (battery not included)
- Aerial point in battery box for portable satellite dish connection
- Entrance step
- New** Rain guards
- Interior**
- 1.95m (6'5") headroom
- Panoramic front sunroof
- New** 'Zimba' soft furnishing scheme.
- New** 'Aralie SEN' woodgrain with contemporary colouring
- New** Chrome effect handles throughout
- New** Chrome effect sockets and switches
- New** Chrome effect positive locking handles
- Two scatter cushions

- Two bolster arms either side of front chest
- Twin curtain track for improved hanging and ease of use
- Sectioned removable carpets for flexibility
- French Oak effect, high impact, scratch resistant floor lino
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Seat bases with spaceframe construction, full front access and space for larger items
- Bed make-up system with slats retained on track
- New** Exclusive 'Duvalay Duvalite' mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable (fixed bed models only)
- Fixed beds with steel bed frames to maximise strength and storage space
- Areas under beds and seats warmed by blown air system and underfloor ducting insulated to minimise heat loss
- Front chest of drawers with convenient slide-out extending top
- Large dining table for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Overhead locker doors with injection moulded space frame construction
- Granite effect kitchen sink
- New** Design chrome kitchen and vanity mixer taps
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Kitchen worktop extensions (except 524 & 640 models)
- Cutlery drawer on smooth-action steel runners
- New** Second moulded cutlery drawer on smooth steel runner above fridge
- Two pull-out wire baskets in kitchen cupboard
- Midi-Heki roof window with flynet and adjustable concertina blind
- Door flyscreen with easy concertina action
- Cassette flyscreens and blinds on all windows
- Multi-directional clear roof lights in kitchens, bedrooms and washrooms
- Seat and backrest ventilation boards
- Retained embroidered entrance mat
- Lined washroom cubicle in all separate washrooms
- Thick washroom doors with domestic style locks and handles
- New** Shower bi-fold door retained on track for improved access

Equipment

- Dual fuel heating with Truma Combi 4 Boiler 1.8kW electric/4kW gas/3.8kW combined in 442, 514, 524 (Combi 6 1.8kW electric/6kW gas/5.8kW combined in 554, 564, 584, 586, 640)
- Blown air ducted to living, sleeping and washroom areas
- Large capacity (15 litre) waste bin on lower door
- New** 'Aspire MKII' oven with dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Glass hob lid with safety cut-out feature
- Thetford thermostatic oven and separate grill
- Ventilated microwave oven with digital controls built at an easily accessible level
- New** 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls
- Ecocamel shower hose and head uses less water while giving a powerful shower
- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- User-friendly large 12V control panel with battery selection, battery state meter and water pump circuit control
- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- TV station with 230V, 12V and aerial sockets (two in selected models)
- Radio/CD/MP3 player with iPod connection with upgraded premium radio speakers
- Status 550 directional Digital / Analogue TV/FM aerial and booster
- Roof mounted solar panel
- Low energy LED over-locker lighting in seating and bedroom areas
- Low energy LED lights in main habitation area (not washrooms)
- Four 230V sockets including twin in front shelf pod
- 25 metre mains hook-up cable
- Safety and Security**
- Thatcham approved TRACKER Retrieve fitted as standard
- AKS 3004 Stabiliser
- Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- Carbon monoxide detector
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock

CHALLENGER SE

Additional/Upgrade to Challenger Sport

Exterior

- Wheel arches insulated with high density foam to prevent cold spots in storage areas
- Heavy duty corner steadies on twin axle models
- BBQ point
- New** SE Graphics scheme
- External 230v socket
- New** One-piece exterior door with interior moulded liner window and blind (45mm / 2" wider and 50mm / 3" taller than standard size)
- External access door under front nearside seat
- Large external access door under fixed beds (model specific)
- Key fob control to LED awning light with New red alarm active indicator

Interior

- New** 'Opus' Soft furnishings scheme
- Gloss overhead lockers with cream infill and chrome effect handles
- Granite effect kitchen sink with larger integrated drainer and removable extension drainer
- Kitchen worktop extensions (except 530 & 625)
- Midi Heki over fixed beds
- Pleated blinds and fly nets to all windows
- Sectioned removable wear resistant hawewood quality carpet
- Access flaps in fixed bed surrounds and day seat ends
- Luxury curtains with double width fabric on all side & centre front windows
- Washroom hanging rail
- Fabric blinds to washroom window (model specific)

Equipment

- ALDE radiator central heating and water heating with daily programming with LCD touch screen control and choice of 1KW, 2KW or 3KW setting
- ALDE towel radiator in all models
- 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls
- Omnivent three speed, two way roof fan
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls, set in new decorative housing
- Low energy LED lighting system throughout with over-locker lights, **new** dimmable task lights and low level night lights
- LED back-lit acrylic sink splash back and kitchen under worktop lighting
- LED backlights in washroom mirrors
- LED downlighters set in plinth over kitchen locker
- Light in wardrobe
- Six 230V sockets including two in compact front shelf pod
- Safety and Security**
- AL-KO ATC trailer stability control fitted as standard
- Passive infra-red alarm system with tilt sensor and key fob operation

CONQUEROR

Additional/Upgrade to Challenger Sport and SE

Exterior

- 2.31m (7'7") overall width for more spacious interior
- Extra strong, thermally efficient 32mm thick fully bonded walls and roof
- Roof capping rails integrating with front and rear panels for improved aerodynamic styling
- Exclusive shape double-glazed opening windows with night ventilation position
- Rain water deflector over front windows incorporating brand badge
- Imposing rear panel wrap around with rear LED light clusters
- Profiled side skirts in tough self coloured uPVC with integrated awning channel
- New** Graphics scheme
- External shower point
- AL-KO side-mounted jack
- New AL-KO Secure wheel lock(s)
- New** Pre-wired for motor mover with internal isolation switch

Interior

- New** Impala soft furnishings with stylish embossed pattern as standard
- Automotive style roof locker system surrounding front panoramic roof window
- Curved high gloss upper locker doors with cream infill's and chrome locking handle design

- Decorative inlay to washroom door
- New** Gloss doors to front chest of drawers

Equipment

- 30 litre internal fresh water tank with additional external pump for filling or direct feed to taps in all models
- Locker mounted eye level power supply unit & power management for easy access
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (All models) and water pump circuit controls set in decorative housing
- 8-Series Dometic 190 litre (model specific), electronic ignition fridge incorporating 35 litre freezer compartment, black effect finish and digital controls in twin axles
- Premium quality speakers in washrooms
- Additional LED down light in washrooms

Safety and Security

- New** AL-KO Secure wheel locks

OPTIONS

FACTORY OPTIONS	CHALLENGER SPORT	CHALLENGER SE	CONQUEROR
Alternative fabric scheme including the 'Impala' stain-resistant, easy-clean seating fabric with soft nubuck texture	Option	Option	Impala Standard
DEALER FIT OPTIONS			
Alarm system (infra-red with tilt sensor and key-fob operation)	Option	Standard	Standard
AL-KO Secure wheel lock	Option	Option	Standard
Wrap-around seating in addition to drawer chest	Option	Option	Option
Roof-mounted air conditioner	Option	Option	Option
Supagard™ Glamour Shield protection	Option	Option	Option

FABRIC OPTIONS

Within the Swift range fabric options are interchangeable, however this will effect seating and cushion make ups, please ask you dealer for full details and clarification.



'Zimba' upholstery scheme
Challenger Sport standard fabric



'Opus' upholstery scheme
Challenger SE standard fabric



'Impala' upholstery scheme
Conqueror standard fabric



'Impala' upholstery scheme



impala
just wipe it

'Impala' is a luxury upholstery fabric that combines a soft velvet feel with outstanding cleaning results and exceptional durability.

'Impala' is Exclusive to the Swift Group.


FABRIC OPTIONS	CHALLENGER SPORT	CHALLENGER SE	CONQUEROR
'Zimba' upholstery scheme	Standard	Option	Option
'Opus' upholstery scheme	Option	Standard	Option
'Impala' upholstery scheme (Conqueror seating cushion make up)	Option	Option	Standard

EXCLUSIVE TO SWIFT GROUP

In addition to the 'Impala' fabric option, also exclusive to the Swift Group are the following market leading features.



Exclusive to the Swift Group, is the fitting of a 'Duvalay Duvalite' mattress in fixed bed layouts across the entire range. Brought to recognition on Dragon's Den and now backed by Hilary Devey, the 'Duvalay Duvalite' is a new innovative mattress made with lightweight memory fibre technology. This hypoallergenic fibre remains as comfortable as memory foam but has many other benefits. Helping eliminate heat retention it gives superior temperature harmony, excellent pressure relief and is durable and resilient. It is resistant to dust-mite and is 100% recyclable. Being ultra light weight it also contributes to significant weight savings.



EXCLUSIVE TO
SWIFT GROUP



All Swift Group Caravans are fitted with the self-powered Thatcham approved TRACKER Retrieve system. This is one of the most effective tracking systems available, recognised by all police forces. Powered by its own battery, it is ideal while the caravan is in use or in storage. Activation of the system is via a specially negotiated annual subscription.



All 2015 Swift Group Caravans are fitted with DMACK EcoXtra tyres. As one of only two suppliers to the FIA World Rally Championship, DMACK motorsport tyres have been tested to the limit across some of the world's toughest road conditions. This technical expertise has been transferred across the range of road tyres with a focus on quality, durability and safety. The EcoXtra tread pattern is specifically designed to provide low rolling resistance and delivers greater fuel economy for environmentally aware motorists.



VALUE ADDED PARTNERSHIPS

Swift Group work in close partnership with the following companies to ensure vital elements of their caravans are the best they can be.



Swift Group work in partnership with Truma and Alde, the manufacturers of the heating systems installed in their touring caravans. This partnership sees both teams challenging each other to deliver the best kit/equipment at the best price for the caravan ranges. Truma and Alde also carry out cold chamber testing of the products to prove they meet the Grade 3 standard for heating and insulation.



All Swift Group Caravans are built on AL-KO galvanised steel chassis and come with the AL-KO ATC trailer control system and the AL-KO AKS 3004 stabiliser to enhance the towing experience and provide extra safety while towing at higher speeds.

ADDED PROTECTION



Glamour Shield is the UK's official provider of Supagard™ paint and fabric protection solutions to the leisure vehicle industry and the only provider recommended by Swift Group.

Supagard™ professional paint sealant has been professionally applied to vehicles for over 20 years and is guaranteed to protect your caravans exterior from acid rain, UV rays, atmospheric pollutants, road salt and other causes of exterior fading and degradation.

Supagard™ InteriorGuard prevents spills of coffee, soft drinks, juices and other liquids from permanently staining your fabrics and carpets, protecting your interior against those occasional mishaps.

Supagard™ is only available as an optional extra. Ask your dealer for details.

50 years
of Smiles
Est. 1964






WWW.SWIFTGROUP.CO.UK



Smile



FIND OUT MORE SWIFTGROUP.CO.UK



This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2014.

PART OF THE SWIFT GROUP
Cottingham · East Yorkshire · United Kingdom



Smile

SWIFT ELEGANCE
2015 MODEL RANGE



50
years
of Smiles
Est. 1964



Smile

A TO SURPASS ALL OTHERS

The Elegance is the flagship caravan within the Swift range, built with SMART HT construction. It has an exterior and interior style that exudes quality to make it the definitive touring caravan range.


The extended seven model line up benefits from what is probably the most extensive research and testing programme to bring you a truly 21st century range that uses technologically advanced components and construction methods.

03
SMART HT
CONSTRUCTION

07
MODEL RANGE

13
FEATURES AND
SPECIFICATION

17
EXCLUSIVES





TECHNICAL INNOVATION

SMART HT THE ULTIMATE CONSTRUCTION

SMART HT (Hi-Tech) is the most exciting breakthrough in caravan construction since Swift's inception in the 1960's. It takes intelligent construction to a new level utilising the best modern materials. Such is the advance in design and construction many elements have patents pending.

The SMART ethos of a Strong timber-less body with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a caravan that has undergone the most comprehensive Testing still stands but the materials and construction methods used are technologically advanced.

SMART HT is the product of a challenge given to the design team at the Swift Group to take all the know how gathered



over many years, strip down every aspect of caravan design and look afresh at caravan construction using the best materials available. It has been in research and development for five years and numerous prototypes have been made and tested around the Millbrook test track to test all aspects of durability.

We believe SMART HT intelligent construction produces the best-engineered caravans we have ever made, all designed to give you a lifetime of SMILES.

For more details see www.swifttv.co.uk or www.swiftgroup.co.uk



AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodyshell for better fuel consumption and safer towing. Elegances have an 18% drag saving on previous models.



MODERN

The SMART HT construction gives a totally flush finish with a sleek exterior silhouette that has modern highly desirable looks inside and out, all achieved with the use of modern hi-tech construction materials.



STRONG

Totally timberless bodyshell with balanced GRP insulated panels with 'PURE' fixing blocks, composite floor, patent pending aluminium and SRIM jointing system, bonded, sealed and mechanically fixed for ultimate strength.



RESILIENT

With no timber in the body shell or floor construction, a patent pending cold bridge to prevent the formation of condensation and an extensively tested bonding system, the caravans are Resilient to moisture ingress.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift Ethos to deliver the best products to you.



SMART^{HT} CONSTRUCTION HIGHLIGHTS

ENGINEERED COMPONENT CUTTING

All components are cut by a CNC (computer numerically controlled) machine driven by our 3D CAD data. The CNC machine is the largest machine in Europe for this type of construction and is an investment of over £1.25million. This technology is so accurate it eliminates any tolerance or accuracy related build issues to provide consistency time after time for a high quality engineered product.



GRP BODYSHELL PANELS

GRP skin both sides provides excellent durability and impact resistance. Crucially it also gives a balanced panel that will not bow with heat as proven by cold chamber testing. Swift are one of the first UK manufacturers to bond a decorative paper to GRP as part of the interior panel production to provide an appealing interior finish.



'PURE' FIXING BLOCKS


Tough, hard polyurethane blocks, totally impervious to water are used within the wall panels where extra fixing strength is required.



COMPLETELY TIMBERLESS COMPOSITE FLOOR

5 layer sandwich with insulating Styrofoam at the core, clad with a rigid honey comb matrix that is incredibly strong and lightweight, all covered in GRP with a special woven glass structure that gives the whole floor a tough, impervious finish. The combination of the uniqueness of the materials, processes and laminating solutions is patent pending.

It has been tested to the equivalent of 8 tonnes (or 100 people), twisted and pulled, all at different temperatures. The overall result is a composite floor that is incredibly strong and with a great thermal performance against weight.



UNIQUE COLD BRIDGE

A breakthrough patent pending cold bridge located within the aluminium side framing prevents the passage of cold from the outer surface to the warm inner surface preventing the formation of condensation.

We believe the cold bridge, combined with a fully timberless floor and bodyshell which will not degrade, delivers the best caravan construction in the UK to combat moisture ingress.




STRONG JOINTING SYSTEM

All the exterior panels including the floor are locked into a patent pending aluminium and SRIM corner jointing system which gives an enormous amount of strength and rigidity to the structure. The panels are secured firmly in place using a bonded system that uses such a strong adhesive, the number of mechanical fixings required are significantly reduced which all contributes to important weight savings.



The bonding system was developed in partnership with The Sika Group, who are a market leader in bonding and adhesive technologies. The final adhesives and sealants used were chosen after extensive testing to find the best technique, processes and equipment for the strongest bond to meet our exact requirements.

The SRIM corner structure technology has enabled the designers to add form to the front and rear body panels and increase the internal packing space by 106mm.



AERODYNAMICS

Everything is flush fitting, from the exterior and service doors, to all the body connections including the streamlined awning channel which helps air flow slip over the body and reduce turbulence that causes drag. Computational Fluid Dynamics was used to help shape the bodysell for better fuel consumption and safer towing, resulting in the most stylish, aerodynamic exterior yet offering an 18% drag saving over Conqueror and Elite models, which were already far ahead of the competition.



CAST FOAM BEDDING

Lightweight bedding with greater durability and superior comfort.



Enjoying meticulous attention to detail and a high quality finish, the flagship Elegance range is in a class of its own. Professionally designed interiors give a modern style to supreme specification.

The warm and welcoming soft furnishings create a sophisticated yet relaxed ambience anyone would feel at home in. There is also a luxury leather and 'Impala' option as shown above.

Subtle details to enhance the luxury feel include gloss upper locker and front chest doors in new 'Aralie Sen' woodgrain and varied LED lighting including dimmable spot lights, LED front pillar lights and down lighting in the ceiling which gives a stunning effect.





The Elegance boasts the impressive equipment level you would expect in a luxury touring range.

Alde radiator central heating comes with a domestic towel radiator in the washroom, the front binnacle supports USB and audio jack connections, there is an illuminated cocktail cabinet and the kitchen has a HI-MACS® natural acrylic stone solid work surface with stainless steel underslung sink.





An exclusive Duvalay mattress on fixed bed models ensures the ultimate nights sleep and the longer front beds are easier to make up with the bolster cushions remaining in place to double as a headboard. Little is left to the imagination.

FIND A MODEL
 LOCATE A SPECIFIC MODEL
SWIFTGROUP.CO.UK



FEATURES

Swift Elegance models come with an impressive array of features.



01. Wider panoramic sunroof
02. AL-KO AKS stabiliser, ATC and shock absorbers provide a smoother safer towing experience
03. Exclusive LED light clusters sealed against water ingress
04. Gas locker door with single lever three point locking
05. Exclusive design Scorpion alloy wheels
06. Streamlined awning channel which helps air flow slip over the body and reduce turbulence that causes drag
07. Flush fitting exterior door with handy magnetic stay
08. Surface mounted impact resistant skirting system
09. **New** AL-KO Secure wheel lock
10. Roof mounted solar panel for greater independence
11. Increased internal space with longer front beds, bolster cushions remain in place and double as headboard
12. Low energy LED lighting throughout with front pillar lights, down lights and dimmable spot lights
13. HI-MACS® natural acrylic stone solid work surface with a fold down extension flap and stainless steel underslung sink with LED lit acrylic splashback
14. Cocktail cabinet with glass and bottle holders, mirror and LED lighting
15. Front binnacle with USB socket, jack plug audio link to the radio and 230v sockets. Handy spirit level also helps assist with leveling of the caravan.
16. Exclusive Duvalay mattress with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable
17. Alde radiator central heating with domestic towel radiator in washroom
18. Ecocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower
19. Space saving sliding wardrobe door (570 models only)
20. Shower bi-fold door retained on track for improved access

ELEGANCE FEATURES

Exterior

- SMART HT construction - Totally timberless bodyshell with patent pending elements and Hi-Tech components
- GRP inner and outer skins to all panels including the floor
- Patent pending 5 layer composite floor
- Patent pending aluminium and SRIM corner jointing system
- Patent pending cold bridge located within the aluminium side framing to prevent condensation
- Unique highly aerodynamic exterior bodyshell
- Curved GRP front panel with large sunroof and LED marker lights
- 2.26m (7'5") overall width
- Curved one piece rear panel with exclusive LED light clusters sealed against water ingress
- Stylish graphics
- Exclusive design Scorpion alloy wheels
- Flush fitting streamlined awning channel
- Flush fitting one piece exterior door with magnetic stay, window and internal bin
- Flush fitting service doors (access under nearside front bed and fixed beds)
- Surface mounted impact resistant skirt system
- Wide access gas locker door with single lever three point locking
- Wheel arches insulated with high density foam to prevent cold spots in storage areas
- Exclusive shape double-glazed opening windows with night ventilation position
- AL-KO galvanised steel chassis with Euro-axle
- AL-KO Euro overrun device with two-way assisted handbrake
- Shock absorbers for a smoother towing experience
- Heavy duty corner steadies on all models
- BBQ point
- External shower point
- Carrier mounted steel spare wheel
- AL-KO side-mounted jack
- Step-on hitch cover for easy cleaning of front windows
- High security locks with convenient one key operation for all locks
- 13-pin 'Jaeger' 12v car connector
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- Exterior access battery box with mains electric inlet (battery not included)
- Aerial point in battery box for portable satellite dish connection
- External 230v socket
- Entrance step
- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- Rain guards

Interior

- 1.95m (6'5") headroom
- Increased internal space offers long front beds with bolster cushions that remain in place and double as headboard
- Panoramic front sunroof with integrated upwash lighting
- 'Loretta' soft furnishings
- Curved upper locker doors in high gloss **new** 'Aralie Sen' wood grain with matt white doors to kitchen area
- Chrome effect handles, sockets and switches throughout
- Soft close hinges to lower doors with positive catches for secure storage
- Overhead locker doors with injection moulded space frame construction
- Cocktail cabinet with glass and bottle holders, mirror and LED lighting
- Luxury full width curtains on all side & centre front windows complemented by fabric covered wall pads
- Twin curtain track for improved hanging and ease of use
- Two scatter cushions
- Sectioned removable carpets
- Fixed bolsters either side of front chest with integrated rear heating vents
- Lightweight, strong composite furniture construction
- High quality luxury 58oz carpet laid in sections for easy removability
- French Oak effect, high impact, scratch resistant floor lino
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Seat bases with space frame construction, full front access and space for larger items
- Bed make-up system with slats retained on track
- Thermoformed seat and backrest ventilation boards with beveled back for better cushion angle and heating performance
- Cast foam bedding for improved comfort and durability
- Exclusive Duvalay 'Duvalite' mattress, with lightweight memory fibre technology - hypoallergenic, excellent pressure relief, dustmite resistant and 100% recyclable (Fixed bed models only)
- Deep padded headboard to fixed bed
- Fixed beds with steel bed frames to maximise strength and storage space
- Areas under beds and seats warmed by central heating system
- Front chest of drawers with convenient slide-out extending top
- Large dining table for full-size place settings
- HI-MACS® natural acrylic stone solid kitchen work surface with a fold down extension flap and stainless steel underslung sink
- Chrome effect kitchen and vanity mixer taps
- Food grade nylon chopping board with dedicated storage
- Two cutlery drawers on smooth-action steel runners, one above fridge

- Two pull-out wire baskets in kitchen cupboard
- Door flyscreen with easy concertina action
- Mini and Midi Heki clear skylights
- Integrated locker coving system throughout to carry cable routings
- Pleated blinds and flynets to all windows
- Retained embroidered entrance mat
- Space saving sliding wardrobe door (Model specific)
- Lined washroom cubicle in all separate washrooms
- Shower bi-fold door retained on track for improved access with upgraded transit catch
- Folding washroom ceiling mounted garment hanging rail
- Fabric blinds to washroom window (model specific)
- Thick washroom doors with domestic style locks and handles
- Decorative inlay to washroom door
- Front shelf mounted spirit level that can be viewed through front window for quick and easy van leveling

Equipment

















- ALDE radiator central heating and water heating with daily programming with LCD touch screen control and choice of 1kW, 2kW or 3kW setting
- Boiler mounted heating circulation pump with manual override to assist with system air bleeding
- Domestic style chrome effect towel radiator in all washrooms
- Waste bin on exterior door
- **New** 'Aspire MKII' oven with dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Glass hob lid with safety cut-out feature
- Thetford thermostatic oven and separate grill
- Ventilated microwave oven with digital controls built at an easily accessible level
- 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls (190 litre in twin axles incorporating 35 litre freezer compartment)
- Omnivent three speed, two way roof fan
- Ecocamel shower hose and head uses less water while giving a powerful shower
- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- 30 litre internal fresh water tank with additional external pump for filling or direct feed to taps in all models
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- User friendly 12v control panel with battery selection, battery state meter, lighting, water tank level and water pump circuit controls, set in acrylic panel
- Power supply unit & power management sited for easy access

- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- TV station with 230v, 12v and aerial sockets (two in selected models)
- Radio/CD/MP3 player with iPod connection with premium radio speakers
- Premium quality speakers in washrooms
- Status 550 directional Digital/Analogue TV/FM aerial and booster with digital age functionality
- LED awning light with red alarm active indicator
- Solar panel fitted as standard
- Low energy LED lighting throughout including front pillar lights
- Down lighting and ceiling header lighting
- Dimmable spot lights
- Low level night lighting
- Back lit washroom mirror
- Illuminated kitchen splash back
- Wardrobe light
- Front shelf pod with USB socket, jack plug audio link to radio and two 230v sockets
- Between six and eight 230v sockets (not including cooker and microwave)
- 25 metre mains hook-up cable
- **New** Pre-wired for motor mover with internal isolation switch and 12v connection point

Safety and Security

- Thatcham approved TRACKER fitted as standard
 - Passive infra-red alarm system with tilt sensor and key fob operation
 - **New** AL-KO Secure wheel lock(s)
 - AL-KO ATC trailer stability control fitted as standard
 - AKS 3004 Stabiliser
 - Smoke alarm
 - Carbon monoxide detector
 - CRiS identity number etched to windows and caravan chassis
 - Concealed security data chip within caravan construction
 - High security locks with convenient one key operation for all locks
- Factory fit options:**
- Leather//Impalac stain-resistant, easy-clean seating fabric with soft nubuck texture
- Dealer fit options**
- Wrap-around seating in addition to drawer chest
 - Roof-mounted air conditioner
 - Supagard™ Glamour Shield paint protection

ELEGANCE SPECIFICATION

	480 	530  NEW	565  NEW	570 	580 	630  NEW	645  NEW
 							
Berths	2	2	4	4	4	4	4
Number of Axles	1	1	1	1	1	2	2
Internal Length (at bed box height)	4.63m / 15'2"	5.45m / 17'11"	5.93m / 19'5"	5.93m / 19'5"	5.93m / 19'5"	6.38m / 20'11"	6.38m / 20'11"
Overall Width**	2.26m / 7'5"	2.26m / 7'5"	2.26m / 7'5"	2.26m / 7'5"	2.26m / 7'5"	2.26m / 7'5"	2.26m / 7'5"
Overall Height (inc. TV Aerial**)	2.67m / 8'9"	2.67m / 8'9"	2.67m / 8'9"	2.67m / 8'9"	2.67m / 8'9"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	6.19m / 20'4"	7.01m / 23'0"	7.49m / 24'7"	7.49m / 24'7"	7.49m / 24'7"	7.94m / 26'1"	7.94m / 26'1"
Awning A/A Dimension	8.66m / 28'5"	9.54m / 31'4"	10.02m / 32'10"	10.02m / 32'10"	10.02m / 32'10"	10.47m / 34'4"	10.41m / 34'2"
Mass in Running Order (inc. tolerance)	1327kg / 26.1cwt	1500kg / 29.5cwt*	1535kg / 30.2cwt*	1544kg / 30.4cwt	1539kg / 30.3cwt	1679kg / 33.1cwt*	1679kg / 33.1cwt
Maximum Technical Permissible Laden Mass	1450kg / 28.5cwt	1651kg / 32.5cwt*	1691kg / 33.3cwt*	1700kg / 33.5cwt	1695kg / 33.4cwt	1900kg / 37.4cwt*	1900kg / 37.4cwt
Total User Payload	123kg / 2.4cwt	151kg / 3.0cwt	156kg / 3.1cwt	156kg / 3.1cwt	156kg / 3.1cwt	221kg / 4.3cwt	221kg / 4.3cwt
Personal Effects Payload	123kg / 2.4cwt	151kg / 3.0cwt	156kg / 3.1cwt	156kg / 3.1cwt	156kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Tyre Size	195/70 R15C 104R	195/70 R15C 104R	195/70 R15C 104R	195/70 R15C 104R	195/70 R15C 104R	185/60 R15 88H	185/60 R15 88H
Thermal Insulation Grade	Three	Three	Three	Three	Three	Three	Three
BED SIZES							
Front Double	198cm x 178cm / 6'6" x 5'10"	198cm x 178cm / 6'6" x 5'10"	198cm x 163cm / 6'6" x 5'4"	198cm x 163cm / 6'6" x 5'4"	198cm x 163cm / 6'6" x 5'4"	198cm x 163cm / 6'6" x 5'4"	198cm x 163cm / 6'6" x 5'4"
Or Front Nearside Single	188cm x 67cm / 6'2" x 2'2"	178cm x 67cm / 5'10" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"
And Front Offside Single	178cm x 67cm / 5'10" x 2'2"	188cm x 67cm / 6'2" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"	163cm x 67cm / 5'4" x 2'2"	190cm x 67cm / 6'3" x 2'2"	163cm x 67cm / 5'4" x 2'2"
Rear Double				191cm x 129cm / 6'3" x 4'3"	182cm x 133cm / 6'0" x 4'4"	191cm x 129cm / 6'3" x 4'3"	182cm x 133cm / 6'0" x 4'4"
Side Single (Offside)		180cm x 69cm / 5'11" x 2'3"	172cm x 68cm / 5'8" x 2'3"				
Side Single (Nearside)			184cm x 68cm / 6'0" x 2'3"				
Side Bunk (Offside)		176cm x 59cm / 5'9" x 1'11"					

WEIGHTS: The method of calculating the Mass in Running Order (MRO) and user payload figures was changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank, the payload will be reduced accordingly.

BED SIZES: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

AWNING SIZES: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

* Estimated

** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions

This caravan is fitted with LED road lighting and dependent on the tow vehicle configuration an aftermarket accessory may require fitting. Please consult your dealer for more information.

EXCLUSIVE TO SWIFT GROUP

Exclusive to the Swift Group are the following market leading features.



An exciting addition in 2014 and still exclusive to the Swift Group, is the fitting of a 'Duvalay Duvalite' mattress in fixed bed layouts. Brought to recognition on Dragon's Den and now backed by Hilary Devey, the 'Duvalay Duvalite' is a new innovative mattress made with lightweight memory fibre technology.

This hypoallergenic fibre remains as comfortable as memory foam but has many other benefits. Helping eliminate heat retention it gives superior temperature harmony, excellent pressure relief and is durable and resilient. It is resistant to dust-mite and is 100% recyclable. Being ultra light weight it also contributes to significant weight savings.



All Swift Group Caravans are fitted with the self-powered Thatcham approved TRACKER Retrieve system. This is one of the most effective tracking systems available, recognised by all police forces. Powered by its own battery, it is ideal while the caravan is in use or in storage. Activation of the system is via a specially negotiated annual subscription.



Glamour Shield is the UK's official provider of Supagard™ paint and fabric protection solutions to the leisure vehicle industry and the only provider recommended by Swift Group. Supagard™ is available as an optional extra. Ask your dealer for details.



All 2014 Swift Group Caravans are fitted with DMACK EcoXtra tyres.

As one of only two suppliers to the FIA World Rally Championship, DMACK motorsport tyres have been tested to the limit across some of the world's toughest road conditions. This technical expertise has been transferred across the range of road tyres with a focus on quality, durability and safety. The EcoXtra tread pattern is specifically designed to provide low rolling resistance and delivers greater fuel economy for environmentally aware motorists.




BUILD MARQUES

All Swift Group caravans come with a market leading 10 year bodyshell integrity warranty which is backed by Swift Group to give you extra peace of mind. They are also NCC and European Whole Vehicle Type approved, which means they have been built to comply with strict weight, dimension and safety regulations. Finally, all Swift Group caravans meet the Grade 3 standard for heating and thermal insulation, which means the interior warms up from minus 15°C to 20°C in under 4 hours and the water system still works. Crucially Swift Group proves this by using cold chamber testing, not just by mathematical calculation as many manufacturers do.



SWIFT TV



See product videos · developments and interviews at swifttv.co.uk